

# Xcom-GSM

# Xcom-LAN

Xtender and/or VarioTrack systems can now be constantly controlled from any remote terminal, computer, tablet or smartphone. The communication sets Xcom-GSM and Xcom-LAN allow connecting to sites with GSM mobile coverage or with internet-connection over a local network.



Studer Innotec provides this «plug-and-play» solution using a secure server and a simple and user-friendly interface.

The interface allows for remote interaction with the installation exactly as if on-site with the remote control RCC-02/-03, including: access to all parameters and real-time display of measured data of all devices included in the system.

Furthermore this solution makes it possible to configure the alarm trigger, sending alarm messages to one or several persons by e-mail or by SMS, and to view the event log at any time to consult the messages sent by the system.

### Xcom-GSM or Xcom-LAN?

Studer Innotec offers two different communication sets for providing access to the installation via internet. The available means of communication at the location of the installation will determine which set to choose.

If the installation has access to internet through a local area network (LAN), choose the Xcom-LAN set. If there is no available connection to the internet but access to a GPRS or 3G mobile network\*, choose the Xcom-GSM set.

\* the compatibility should always be verified with the mobile phone network operator.

### Xcom-GSM



The set includes one Xcom-232i, one cellular modem and all necessary accessories. **The SIM card is not provided.**

### Xcom-LAN



The set includes one Xcom-232i, one Ethernet bridge and all necessary accessories.